	Number of pregnancies	01
160	1	
157	2	
60	3	
19	4	
3	5	
2	<b>«</b>	
401		
1.89	Mean number of pregnancies	Mea

02	Number of deliveries	
	1	194
	2	161
	3	34
	4	9
	5	1
	6	1
	Not completed	400
		1
N	Mean number of deliveries	1.66

03	Maternal age at delivery		
	First child	Second child	Third child
16	1		
17	7		
18	18		
19	20	1	
20	15	2	
21	22	4	1
22	23	7	
23	29	8	
24	17	12	4
25	35	15	1
26	21	18	
27	38	9	3
28	23	14	3
29	32	10	4
30	36	11	6
31	12	15	4
32	18	17	1
33	11	7	1
34	2	9	2
35	9	10	2
36		10	4
37	1	7	2
38	1	1	2
39	3	4	2
42		2	
45			
<u>,                                    </u>	394	193	42
Not completed	7	208	3591
Mean	25.80456853	29.3264249	31

Mean	25.80456853	29.3264249	31
Mean	25.00450055	23.3207273	31

4	Did you come for visits to the pregnancy clinic - doctor		
	pregnancy clinic - doctor		

Yes	338	84.3%
No	62	15.5%
Other	1	0.2%
Not completed	0	
	401	
N	401	100.0%

7	Interest in the midwife's services

Yes	211	54.0%
No	177	45.3%
Other	3	0.8%
Not completed	10	
	401	
N	391	100.0%

10	Information on possibilities

Gynaecologist	334	85.6%
Dept. of medical genetics	12	3.1%
Midwife	6	1.5%
Other	5	1.3%
Other sources	33	8.5%
Not completed	11	
	401	
N	390	100.0%

5	Did you come for visits to the
	pregnancy clinic - midwife

Yes	83	20.9%
No	314	79.1%
Other	0	0.0%
Not completed	4	
	401	
N	397	100.0%

8	She was informed about all
	examinations and tests

Yes	395	99.5%
No	2	0.5%
Other	0	0.0%
Not completed	4	
	401	
N	397	100.0%

	Amniotic	nuia collectio
	<u> </u>	
Yes	133	33.6%
No	263	66.4%
Other	0	0.0%
Not completed	5	
	401	
N	396	100.0%

6	Contact details of the midwife

Yes	56	14.0%
No	341	85.3%
Other	3	0.8%
Not completed	1	
	401	
N	400	100.0%

9	Did you have examinations and tests done?

Yes	387	97.5%
No	10	2.5%
Other	0	0.0%
Not completed	4	
	401	
N	397	100.0%

12	Would welcome information leaflet or
	brochure

Yes	321	82.5%
No	63	16.29
Other	5	1.39
Not completed	12	
	401	
N	389	100.0%

## **DELIVERIES Vaginal**

13	Visiting the courses led by a midwife	
Yes	197	50.1%
No	196	49.9%
Other	0	0.0%
Not completed	8	
	401	
N	393	100.0%

16	Was a close person present at birth	i i	
Yes	313 79.0%		

Yes	313	79.0%
No	82	20.7%
Other	1	0.3%
Not completed	5	
	401	
N	396	100.0%

17	Specification

Additional details provided on the second sheet of paper, regarding the size of the table

14	Prepared bi	Prepared birth plan		
Yes	70	17.5%		
No	327	82.0%		
Other	2	0.5%		
Not completed	2			
	401			
N	399	100.0%		

10	Specificat	1011	
Partner, friend, husband	183	61.0%	
Parents	25	8.3%	
Child's father	83	27.7%	
Midwife	6	2.0%	
Other	3	1.0%	
Not completed	13		
	313		
N	300	100.0%	

	labour		
			-
Yes	324	84.6%	
No	52	13.6%	
Other	7	1.8%	

Use of relaxation techniques during

324	84.6%
52	13.6%
7	1.8%
18	
401	
383	100.0%
	52 7 18 401

15	Did they respect y	Did they respect your birth plan?		
Yes	67	97.1%		
No	2	2.9%		
Other	0	0.0%		
Not completed	1			
	70			
N	69	100.0%		

17	Did you have an o preferred labour p	pportunity to take any of your ositions?
Yes	317	81.7%
No	57	14.7%
Other	14	3.6%
Not completed	13	
	401	
N	388	100.0%

18	Specification	

Additional details provided on the second sheet of paper, regarding the size of the table

## **DELIVERIES Vaginal**

19		re of membra ontaneously?	
Yes	194	49.4%	
No	195	49.6%	
Other	4	1.0%	
Not completed	8	•	
	401		
N	393	100.0%	

22	Did you receive any treatment for pain relief?	
Yes	223	57.5%
No	163	42.0%
Other	2	0.5%
Not completed	13	
	401	
N	388	100.0%

was the b	Was the birth led by a midwife		
<u> </u>			
186	50.0%		
183	49.2%		
3	0.8%		
29		'	
401			
372	100.0%	•	
	186 183 3 29 401	186 50.0% 183 49.2% 3 0.8% 29 401	

20	occur foll	Did rupture of membranes occur following intervention of a medical professional?			
Yes	194	51.7%			
No	175	46.7%			
Other	6	1.6%			
Not completed	26				
	401				
N	375	100.0%			

23	Were you a	allowed to choose yo on?	ur
Yes	197	54.0%	
No	165	45.2%	
Other	3	0.8%	
Not completed	36		
	401		
N	365	100.0%	

26		Option to discuss episiotomy before the birth?		
Yes	92	24.1%		
No	284	74.5%		
Other	5	1.3%		
Not completed	20			
	401			
N	381	100.0%		

21		Did you receive an infusion to strengthen contractions?		
Yes	237	60.8%		
No	147	37.7%		
Other	6	1.5%		
Not completed	11			
	401			
N	390	100.0%		

2-4	Trus the shift lead	was the small load by a decicer.		
Yes	276	71.5%		
No	109	28.2%		
Other	1	0.3%		
Not completed	15	<u>-</u>		
	401			
N	386	100.0%		

	1	
Acute ceasarean section		0.0%
Cesarean section		0.0%
I would like to talk to	2	18.2%
There was no need	3	27.3%
I am leaving it to the	6	54.5%
Empty	390	
	401	
N	11	100.0%

Specification

401

RESPONDENTS

## **DELIVERIES Vaginal**

27	Was episiotomy performed?	
Yes	222	57.7%
No	162	42.1%
Other	1	0.3%
Not completed	16	
	401	
N	385	100.0%

30	Was you child laid on your chest immediately after birth.		
Yes	284	71.7%	
No	112	28.3%	
Other	0	0.0%	
Not completed	5		•
	401		
N	396	100.0%	

Length of gestation at the

time of birth

24-281.	1	0.2%
Week 29 to 32	3	0.7%
33-361.	15	3.7%
37-401.	165	41.1%
Week 40 and more	217	54.1%
Empty	0	
	401	
N	401	100.0%

Arithmetic mean: 39.27

Median: 40

28	Were you is to be do	informed why e one?	pisiotomy
Yes	141	66.5%	
No	68	32.1%	
Other	3	1.4%	
Not completed	10		
	222		
N	212	100.0%	

31	,	Was you child laid on your chest within 30 minutes of birth?.		
Yes	352	88.7%		
No	45	11.3%		
Other	0	0.0%		
Not completed	4			
	401			
N	397	100.0%		

Number of visits to the antenatal

	OCITICI	
Did not come = 0	5	1.2%
1-4	1	0.2%
5-8	29	7.2%
9-12	270	67.3%
13-16	84	20.9%
17 and more	12	3%
Empty	0	
	401	
N	401	100.0%

11

Arithmetic mean: 11.07

Median:

29	Did you get a postpartum injection into a vein?

Yes	128	36.4%
No	201	57.1%
Other	23	6.5%
Not completed	49	
	401	
N	352	100.0%

32	Were you together with your family in the
	delivery stage at the delivery room?

Yes	297	74.8%
No	94	23.7%
Other	6	1.5%
Not completed	4	
	401	
N	397	100.0%

103	Number of ultrasound scans during	
	pregnancy	

0-1	7	1.7%
2-4	352	87.8%
5 and more	42	10.5%
		0.0%
		0.0%
Empty		
	401	
N	401	100.0%

Arithmetic mean: 3.36

Median: 3

## **DELIVERIES Vaginal**

104	Was admission to the hospital planned?		
Yes	114	28.4%	
No	287	71.6%	
Other	0	0.0%	
Not completed	0		
	401		
N	401	100.0%	

106	Length of hospitalization before delivery		
0 days	212	56.1%	
1-2 days	142	37.6%	
3 to 6 days	14	3.7%	
7 to 14 days	5	1.3%	
over 15 days	5	1.3%	
Empty	23		
	401		
N	378	100.0%	

Arithmetic mean: 0.97

Median: 0 0

109	Length of the third stage of labou		
	ı		
up to 10 min	316	79.4%	
10 to 30 min	59	14.8%	
over 30 min	23	5.8%	
		0.0%	
		0.0%	
Empty	3		•
<u>'</u>	401		
N	398	100.0%	•

Arithmetic mean: 9.44

Median: 5

105	Was admission to the hospital due to incipient labour?		
Yes	275	68.6%	
No	126	31.4%	
Other	0	0.0%	
Not completed	0	1	
	401		
N	401	100.0%	

107	Length of the first stage of labour		
up to 3 hours	134	33.8%	
3 to 6 hours	183	46.2%	
6 to 11 hours	76	19.2%	
over 12 hours	3	0.8%	
		0.0%	
Empty	5		
	401		
N	396	100.0%	

Arithmetic mean: 4.23

Median: 3.5

110	Completion	of delivery
Vaginal	401	100.0%
C-section		0.0%
VEX		0.0%
Not completed		
	401	
N	401	100.0%

105	Specification

Additional details provided on the second sheet of paper, regarding the size of the table

108	Length of the second stage of labour		
up to 10 min	289	73.0%	

-p		
10 to 30 min	85	21.5%
over 30 min	22	5.6%
		0.0%
		0.0%
Empty	5	
	401	
N	396	100.0%

Arithmetic mean: 11.16

Median: 7

111	Specification

Additional details provided on the second sheet of paper, regarding the size of the table

COST-CZ

RESPONDENTS 401

112	Manual placenta removal or revision

Yes	33	8.5%
No	355	91.5%
Other	0	0.0%
Not completed	13	
	401	
N	388	100.0%

115	Administration of
	medications during
	childbirth

Oxytocin	327	99.4%
No	2	0.6%
Other	0	0.0%
Not completed	72	
	401	
N	329	100.0%

118	Number of vaginal
	examinations during the

Arithmetic mean:	3.13
Median:	3
Minimum:	0
Maximum:	10

DELIVERIES Vaginal

113	Blood loss during delivery

Arithmetic mean:	212.7
Median:	150
Minimum:	100
Maximum:	1500

116	Interval between administration of
	analgesia and childbirth

Arithmetic mean:	2.51
Median:	1.16
Minimum:	0
Maximum:	9.3

Number of CTG examination the delivery	ns during
--	-----------

Arithmetic mean:	2.26
Median:	2
Minimum:	0
Maximum:	10

114	Administration of blood products

Yes	16	4.2%
No	364	95.8%
Other	0	0.0%
Not completed	21	
	401	
N	380	100.0%

117	Number of vaginal examinations before
	beginning of first stage of labour

Arithmetic mean:	1.85
Median:	1
Minimum:	C
Maximum:	15

120	Condition of the newborn

Physiological	385	97.0%
Pathological	1	0.3%
Suspected	11	2.8%
Not completed	4	
	401	
N	397	100.0%